

BookmarkSearcher の説明書

Flashsoft

<https://www7b.biglobe.ne.jp/~usakodx/goodsindex2.html>

開発履歴と連絡先

- 2025年1月29日 BookmarkSearcher 1.6.0 誕生
 - 使い勝手が良くなった。
 - 初期画面をライトモードにした。
- 2024年9月04日 BookmarkSearcher 1.5.0 誕生
 - 使い勝手が良くなった。
 - ダークモードを追加した。
- 2024年8月17日 BookmarkSearcher 1.4.0 誕生

(連絡先)

UsakoDX

tashiro133@outlook.com

Flashsoft

<https://www7b.biglobe.ne.jp/~usakodx/goodsindex2.html>

BookmarkSearcherの説明



- ① 検索する単語を空白区切りで入力
- ② お気に入りを表すハート
- ③ 検索ボタン
- ④ お気に入りの項目のみ表示

- ⑤ Flashsoftのホームページ
- ⑥ 対象ブラウザの切り替え
- ⑦ ナイトモードのONとOFF
- ⑧ スクロールバー

より便利な使い方

- 複数の単語を空白で区切って入力して、検索すると検索結果がよりの確になって、便利です。
- YouTubeのブックマークを作ると、YouTube一覧を作るのに、便利です。
- 自作のPDFファイルへのブックマークを作ると、説明書の一覧などを作るのに、便利です。

プログラムで使っているライブラリについて

- NuGet画面を貼り付けておきます。

NuGet1

	ControlzEx 作成者: Jan Karger, Bastian Schmidt, James Willock ControlzEx is a library with some shared Controls for WPF.	4.4.0 6.0.0
	MahApps.Metro 作成者: Jan Karger, Dennis Daume, Brendan Forster, Paul Jenkins, Jake Ginnivan, Alex M The goal of MahApps.Metro is to allow devs to quickly and easily cobble together a 'Modern' UI for their WPF apps (>= .Net 4.5), with minimal effort.	2.4.10
	Microsoft.Data.Sqlite.Core 作成者: Microsoft Microsoft.Data.Sqlite is a lightweight ADO.NET provider for SQLite. This package does not include a copy of the native SQLite library.	8.0.7 8.0.8
	Microsoft.Xaml.Behaviors.Wpf 作成者: Microsoft Easily add interactivity to your apps using XAML Behaviors for WPF Behaviors encapsulate reusable functionalities for elements that can be easily added to your XAML without the need for more imperative...	1.1.19 1.1.122
	Newtonsoft.Json 作成者: James Newton-King Json.NET is a popular high-performance JSON framework for .NET	13.0.3
	SQLitePCLRaw.bundle_e_sqlite3 作成者: Eric Sink This 'batteries-included' bundle brings in SQLitePCLRaw.core and the necessary stuff for certain common use cases. Call SQLitePCL.Batteries.Init(). Policy of this bundle: e_sqlite3 included	2.1.9

NuGet2

	SQLitePCLRaw.provider.dynamic_cdecl 作成者: Eric Sink	2.1.9
	SQLitePCL.raw is a Portable Class Library (PCL) for low-level (raw) access to SQLite. Packages named 'SQLitePCLRaw.provider.*' (like this one) are 'plugins' that allow SQLitePCLRaw.core to access the native SQLit...	
	System.Buffers 作成者: Microsoft	4.4.0
	Provides resource pooling of any type for performance-critical applications that allocate and deallocate objects frequently.	4.5.1
	System.Memory 作成者: Microsoft	4.5.3
	Provides types for efficient representation and pooling of managed, stack, and native memory segments and sequences of such segments, along with primitives to parse and format UTF-8 encoded text stored in those...	4.5.5
	System.Numerics.Vectors 作成者: Microsoft	4.4.0
	Provides hardware-accelerated numeric types, suitable for high-performance processing and graphics applications.	4.5.0
	System.Runtime.CompilerServices.Unsafe 作成者: Microsoft	4.5.2
	Provides the System.Runtime.CompilerServices.Unsafe class, which provides generic, low-level functionality for manipulating pointers.	6.0.0