

「PDF Bookshelf」の説明書

PDF Bookshelfは、PDF印刷した記事を読むためのソフトです。
とても、便利なソフトです。ぜひ、インストールしてください。

開発履歴

- 2025.09.28 ver.1.0.0
初代の完成。
- Flashsoft (フラッシュソフト)
- <https://www7b.biglobe.ne.jp/~usakodx/goodsindex2.html>
- 作者
- UsakoDX
- <https://ameblo.jp/tashiro189/>
- tashiro133@outlook.com


インストール

- インストーラーを使って、インストールしてください。

重要な説明

- PDFファイルは、デスクトップの「**PDF記事のまとめ**」フォルダに、まとめて入れてください。


「フォルダ選択」ボタンを押下後




ファイルの一覧が表示される。



全体検索ボタンを押すと、全体検索される



♥ ハート検索ボタンを押すと、ハート一覧。




リストの右クリックメニュー

以下の7つ。

- ハートを付ける
- ハートをはずす
- 名前を変える
- 別のフォルダに移動
- ごみ箱に移動
- URLを設定する
- URLに飛ぶ

フォルダの選択




フォルダの選択は以下の場合

- (1) 選択して「開く」
- (2) 選択して「別のフォルダに移動する」
- (3) 「新規フォルダの作成」
- (4) 「選択フォルダの削除」

記事名をダブルクリックすると、記事が表示される










主な機能の説明(一部)









- ① 本をクリックして、書きだされたテキスト
- ② この頁のメモ
- ③ 頁数の指定
- ④ サムネイルの表示・非表示
- ⑤ 本の拡大縮小スライダー
- ⑥ メモ書きの一覧と、しおりの一覧
- ⑦ 本







NuGet 1/4

	Dapper 作成者: Sam Saffron, Marc Gravell, Nick Craver A high performance Micro-ORM supporting SQL Server, MySQL, Sqlite, SqlCE, Firebird etc. Major Sponsor: Dapper Plus from ZZZ Projects.	2.1.66
	Microsoft.Bcl.AsyncInterfaces 作成者: Microsoft Provides the IAsyncEnumerable<T> and IAsyncDisposable interfaces and helper types for .NET Standard 2.0. This package is not required starting with .NET Standard 2.1 and .NET Core 3.0.	9.0.9
	Microsoft.Data.Sqlite 作成者: Microsoft Microsoft.Data.Sqlite is a lightweight ADO.NET provider for SQLite.	9.0.9
	Microsoft.Data.Sqlite.Core 作成者: Microsoft Microsoft.Data.Sqlite is a lightweight ADO.NET provider for SQLite. This package does not include a copy of the native SQLite library.	9.0.9
	Microsoft.NETCore.Platforms 作成者: Microsoft Provides runtime information required to resolve target framework, platform, and runtime specific implementations of .NETCore packages.	7.0.4
	Microsoft.Web.WebView2 作成者: Microsoft The WebView2 control enables you to embed web technologies (HTML, CSS, and JavaScript) in your native applications powered by Microsoft Edge (Chromium).	1.0.3485.44
	NETStandard.Library 作成者: Microsoft A set of standard .NET APIs that are prescribed to be used and supported together. 18a36291e48808fa7ef2d00a764ceb1ec95645a5	2.0.3

NuGet 2/4

-  **PdfiumViewer** 作成者: Pieter van Ginkel 2.13.0
PDF viewer based on the PDFium project.
-  **PdfiumViewer.Native.x86_64.v8-xfa** 作成者: Pieter van Ginkel 2018.4.8.256
Native 64-bit PDFium DLL with V8 and XFA support for usage with the PdfiumViewer project.
-  **SourceGear.sqlite3** 作成者: Eric Sink 3.50.4.2
This package contains builds of the native SQLite code for various platforms.
These builds have "e_sqlite3" as the base name. The first three numbers in the version number of this package indicate the version of SQLite tha...
-  **SQLitePCLRaw.bundle_e_sqlite3** 作成者: Eric Sink 3.0.2
This 'batteries-included' bundle brings in SQLitePCLRaw.core and the necessary stuff for certain common use cases. Call SQLitePCL.Batteries.Init().
-  **SQLitePCLRaw.config.e_sqlite3** 作成者: Eric Sink 3.0.2
This package sets the configuration for using e_sqlite3 but does not bring in that native library itself. It's like bundle_e_sqlite3, except it's hollow.
-  **SQLitePCLRaw.core** 作成者: Eric Sink 3.0.2
SQLitePCLRaw is a Portable Class Library (PCL) for low-level (raw) access to SQLite. This package does not provide an API which is friendly to app developers. Rather, it provides an API which handles platform and configuration issues, upon which a friendlier API can be built. In order to use this pa...

NuGet 3/4

	SQLitePCLRaw.lib.e_sqlite3 作成者: Eric Sink SQLitePCLRaw is a Portable Class Library (PCL) for low-level (raw) access to SQLite	2.1.11
	SQLitePCLRaw.provider.dynamic_cdecl 作成者: Eric Sink SQLitePCLRaw is a Portable Class Library (PCL) for low-level (raw) access to SQLite. Packages named 'SQLitePCLRaw.provider.*' (like this one) are 'plugins' that allow SQLitePCLRaw.core to access the native SQLite library. This provider dynamically loads the native library by name.	3.0.2 
	SQLitePCLRaw.provider.e_sqlite3 作成者: Eric Sink SQLitePCLRaw is a Portable Class Library (PCL) for low-level (raw) access to SQLite. Packages named 'SQLitePCLRaw.provider.*' (like this one) are 'plugins' that allow SQLitePCLRaw.core to access the native SQLite library. This provider does DllImport of 'e_sqlite3', the SQLite builds provided with SQLitePCL...	3.0.2
	System.Buffers 作成者: Microsoft System.Buffers	4.6.1
	System.Memory 作成者: Microsoft System.Memory	4.6.3

NuGet 4/4



System.Numerics.Vectors 作成者: Microsoft
System.Numerics.Vectors

4.6.1



System.Runtime.CompilerServices.Unsafe 作成者: Microsoft
Provides the System.Runtime.CompilerServices.Unsafe class, which provides generic, low-level functionality for manipulating pointers.

6.1.2



System.Runtime.InteropServices.RuntimeInformation 作成者: Microsoft
Provides APIs to query about runtime and OS information.

4.3.0



System.Text.Encoding.CodePages 作成者: Microsoft
Provides support for code-page based encodings, including Windows-1252, Shift-JIS, and GB2312.

9.0.9



System.Threading.Tasks.Extensions 作成者: Microsoft
System.Threading.Tasks.Extensions

4.6.3



System.ValueTuple 作成者: Microsoft
System.ValueTuple

4.6.1

使用したアイコン

- 「フリーアイコンズ」より
- <https://free-icons.net/furniture007/>